In the Claims

- 1. (currently amended) An antistatic polymer composition comprising
- a) a polymer substrate selected from the group consisting of the polyolefins, polyesters, polyamides and polylactic acids and
 - b) a combination of
- i) at least one permanent antistatic additive selected from the group consisting of the polyetheresteramides and
- ii) at least one migratory antistatic additive selected from the group consisting of straight or branched chain C_{40} – C_{48} alkylsulfonic acid salts, alkyl diethanolamines and alkyl diethanolamides.
- **2. (original)** A composition according to claim **1** in which the polyetheresteramides are aliphatic polyetheresteramides.
- **3. (original)** A composition according to claim **1** in which the polyetheresteramides are aromatic polyetheresteramides.
- **4. (original)** A composition according to claim **2** wherein the polyetheresteramide consists essentially of residues derived from (1) a polyamide oligomer having carboxylic end groups and having a number average molecular weight of from about 200 to about 15,000 and (2) a polyoxyalkylene glycol having a number average molecular weight of from about 200 to about 6,000.
- **5. (original)** A composition according to claim **4** where the carboxylic group is derived from adipic, sebacic, terephthalic or isophthalic acids or 3-sulfoisophthalic acid alkali metal and the

polyoxyalkylene glycol is polyethylene glycol.

- **6. (original)** A composition according to claim **3** wherein the polyetheresteramide consists essentially of residues derived from (1) a polyamide oligomer having carboxylic end groups and having a number average molecular weight of from about 200 to about 15,000 and (2) a polyoxyalkylated bisphenol compound having a number average molecular weight of from about 200 to about 6,000.
- **7.** (original) A composition according to claim **6** where the carboxylic group is derived from adipic, sebacic, terephthalic or isophthalic acids or 3-sulfoisophthalic acid alkali metal and wherein the polyoxyalkylated bisphenol compound is a polyoxyalkylated alkylidene bisphenol.
- **8.** (**previously presented**) A composition according to claim **6** wherein the polyoxyalkylated bisphenol is an ethylene oxide adduct of bisphenol A.

9-15. (canceled)

- **16.** (currently amended) A composition according to claim 1[[5]] where alkyl is straight or branched chain C_2 - C_{22} alkyl.
- 17. (currently amended) A composition according to claim 1[[5]] where alkyl is straight or branched chain C_{10} - C_{18} alkyl.
- **18.** (currently amended) A composition according to claim 1[[5]] where the alkyl diethanolamines and the alkyl diethanolamides are hydrogenated tallow bis(2-hydroxyethyl)amine, tridecyl bis(2-hydroxyethyl)amine, pentadecyl bis(2-hydroxyethyl)amine, lauryl bis(2-hydroxyethyl)amine[[,]]

hydrogenated tallow bis(2-hydroxyethyl)amide, tridecyl bis(2-hydroxyethyl)amide, pentadecyl bis(2-hydroxyethyl)amide or lauryl bis(2-hydroxyethyl)amide.

- **19.** (currently amended) A composition according to claim 1[[5]] where the migratory additive is lauryl bis(2-hydroxyethyl)amide, CAS# 120-40-1.
- **20.** (original) A composition according to claim 1 where the polymer substrate is polyethylene, polypropylene, polyethylene/polypropylene copolymer, polyethylene terephthalate, polybutylene terephthalate, polyethylene naphthalate, polyamide 4, polyamide 6, polyamide 6,6, polyamide 6,10, polyamide 6,9, polyamide 6,12, polyamide 4,6, polyamide 12,12, polyamide 11, polyamide 12 and polylactic acid.
- **21. (original)** A composition according to claim **1** where the polyetheresteramides of component i) are present from about 0.5% to about 15% by weight, based on the weight of the polymer substrate.
- **22. (original)** A composition according to claim **1** where the polyetheresteramides of component i) are present from about 1% to about 10% by weight, based on the weight of the polymer substrate.
- **23. (original)** A composition according to claim **1** where the migratory additives of component ii) are present from about 0.05% to about 2% by weight, based on the weight of the polymer substrate.
- **24. (original)** A composition according to claim **1** where the migratory additives of component ii) are present from about 0.05% to about 1% by weight, based on the weight of the polymer substrate.
- 25. (currently amended) An antistatic additive mixture comprising

- i) at least one permanent antistatic additive selected from the group consisting of polyetheresteramides and
- ii) at least one migratory antistatic additive selected from the group consisting of straight or branched chain C₁₀-C₁₈alkylsulfonic acid salts, alkyl diethanolamines and alkyl diethanolamides.
- **26.** (currently amended) A process for the preparation of antistatically finished polymers selected from the group consisting of polyolefins, polyesters, polyamides and polylactic acids,

which process comprises mixing an additive mixture comprising

- i) at least one permanent antistatic additive selected from the group consisting of polyetheresteramides and
- ii) at least one migratory antistatic additive selected from the group consisting of straight or branched chain C₁₀-C₁₈alkylsulfonic acid salts, alkyl diethanolamines and alkyl diethanolamides,

as such or in the form of its individual components and together with optional further additives with said polymers in calenders, mixers, kneaders or extruders.